

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii) PART II—Section 3—Sub-section (ii) प्राचिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं, 1106] No. 1106] नई दिल्ली, शुक्रवार, अगस्त 1, 2008/श्रावण 10, 1930

NEW DELRI, FRIDAY, AUGUST 1, 2008/SRAVANA 10, 1930

पोत परिवहन, सङ्क परिवहन और राजमार्ग मंत्रालय

(सङ्क परिवाहन और राजमार्ग विमाग)

अधिसूचना

नई दिस्सी, 1 अगस्त, 2008

का.आ. 1929(अ),—मोटरवान अधिनियम, 1988 की धारा 58 की उप-धारा (3) एवं धररा 110 की उप-धारा (3) (ए) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्र सरकार, एतद्द्वारा, निम्नलिखित ट्रेलरों के महाराष्ट्र में पंजीकरण हेतु, जिसका अधिकतम सुरक्षित लदान भार और आकार संलग्न अनुसूची में उल्लिखित हैं, अनुमोदन प्रदान करती हैं—

अनुसूची

ट्रेलरॉ की किस्म : स्वतंत्र ट्रेलर

. दूरास का किस्म : स्वतक दूर

2. स्वामी

: मै. कानटीनेनटल ट्रांसपोर्ट ओरगेनाइजेशन प्रा. लि., मुंबई

3. निर्माता : मै. बीकी इंजीनियरिंग, लुधियाना

ट्रेलरों की संख्या : दो

८ टेलर्से का वर्णन :

चैसी सं.	धुरियों की संख्या	टायरों की सं., आकार/विवरण	माप (शस्याई × चौड़ाई × ऊंचाई)	खाली वखन (कि.ग्रा.)	प्रति धुरी अधिकतम लदान भार (कि.ग्रा.)	भार/सकल (कि.ग्रा.)
वी इं.एम यू डी/ 010/200%	6 धुरी (2 इन लाइन एक्सल)	6×8=48 टाबर, प्रत्येक धुरी में 2 पॉक्त/7.50 × 20 × 12 पी आर	12612 मिमि. × 3000 मिमि. × 1250 मिमि. ± 250 मिमि.	27,000	18,000	1,08,000
वी इ/एम यू डी/ 011/2008	4 धुरी (2 इन लाइन एक्सल)	4×8=32 टायर, प्रत्येक धुरी में 2 पॅक्ति/7.50 × 20 × 12 पी आर	9512 मिमि. × 3000 मिमि. × 1250 मिमि. ± 250 मिमि.	18,000	18,000	72,000

- उपर्युक्त छूट इन शर्तों के अध्यक्षीन है :--
 - (i) इन टेलरों का कभी-कभार प्रचालन किया जाएगाः
 - (ii) लो. नि. वि./स्थानीय प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा विभिन्न सङ्कों के लिए विनिर्दिष्ट भार प्रक्रियों का अनुपालन किया जाएगा और वाहनों को प्रत्येक बार सङ्कों पर लाते समय इन प्राधिकारियों से अनुमति ली जाएगी । सुरक्षा.

71

- की दृष्टि से इन ट्रेलरों का प्रत्येक प्रचालन राज्य/संध शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के संबंधित परिवहर विभाग द्वारा अनुसोदित किया जाएगा और उस पर कड़ी निगरानी रखी जाएगी 1
- (88) वाहनों पर खतरे संबंधी सभी झंडियां और बत्तियां लगी होनी चाहिएं, बेहतर यह होगा कि लदे हुए बाहन के आगे तथा पीछे एक-एक वाहन स्पष्ट रूप से यह दर्शाता हुआ चले कि भारी लदा हुआ बाहन गुजर रहा है ।
- (iv) सड़क की चौड़ाई में ट्रेलरों को जोड़ने की अनुमति नहीं दी जाएगी (
- (v) वाहनों के आवागमन कार्यक्रम की सूचना कम-से कम दस दिन पूर्व संबंधित कार्यपालक इंजीनियरों को दी जानी चाहिए और उनकी स्वीकृति प्राप्त कर लेनी चाहिए ।
- (vi) ट्रेलरों का अलग पंजीकरण किया जाएगा, न कि संयुक्त रूप से ।
- (vii) किसी राज्य या संघ शसित प्रदेश के लोक निर्माण विभाग/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा यदि ऐसा निर्देश दिया जाए तो लदे हुए वाहनों को उस राज्य/संघ शासित प्रदेश में सङ्कों पर बने पुलों से गुजरने की अनुमित नहीं होगी और ऐसे मामलों में आवेदकों को निदयों/नालों को पार करने के लिए स्वयं व्यवस्था करनी होगी।
- (viii) बड़े आकार के कार्यों को ध्यान में रखते हुए उन्हें किसी मार्ग विशेष पर चलने से पहले प्रत्येक बार संबंधित राज्य या संघ शासित प्रदेश के प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुमति प्राप्त करनी होगी। ऐसे प्रत्येक आवागमन के लिए संबंधित प्राधिकारी इसर समय का निर्धारण किया जाना चाहिए।
- (ix) वे राज्य/संब शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के प्राधिकारियों द्वारा निर्धारित गति सीमा का पालन करेंगे ।
- (x) उक्त वाहनों को, यातायात के सामान्य आवागमन में कोई बाधा पहुंचाए बगैर चलाया जानाः चाहिए ।
- (xi) सड्क पर चलने के लिए ट्रेलरों की अधिकतम गति दस कि.मी./घंटा से अधिक नहीं होगी ।
- (xii) ट्रेलरों की सम्पूर्ण जीड़ाई में अगले एवं पिछले हिस्से पर पीले एवं काले रंग से जेवरा पट्टी बनाई जाएगी और उस पर राजि के समय चलाने के लिए विधियत लिखा होना चाहिए/पाकिंग के लिए आगे और पीछे समुचित रूप से लाल बनी होनी चाहिए तथा दिन में दोनों ओर लाल झण्डी लगाई जाएंगी, जिससे वाहनों की सही-सही स्थिति का स्पष्ट रूप से पता चल सके। इसके अतिरिक्त, माल का बाहरी भाग पूरी तरह से एक लाल भरावर्तक/परावर्ती टेप से इका होना चाहिए नाकि राजि के समय बाहरी भाग निर्विष्ट रूप से दिखाई दें।
- (xiii) भैं. कानदीनेनटल ट्रांसपोर्ट ओरगेनाइबेशन प्रा. लि., मुंबई, सड्कों अथवा सड्क ढांचों/अन्य सड्क प्रयोक्ताओं/व्यक्तिओं को ऐसे चाहनों के प्रचालन के कारण प्रत्यक्ष अथवा अग्रत्यक्ष रूप से हुई किसी क्षति के लिए राज्य/संघ शासित प्रदेश सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण या किसी अन्य प्रभावित व्यक्ति को ऐसी राशि का भुगतान करने के लिए जिम्मेदार होगा ।
- (xiv) मैं. कानटीनेनटल ट्रांसपोर्ट ओरगेनाइजेशन प्रा. लि., भुंबई, ऐसे प्रतिबंधों का पालन करेंगे जो इस संबंध में राज्य सरकारीं/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा आदेश द्वारा विनिर्दिष्ट किए जाएं ।
- (xv) मैं. कानटीनेनटल ट्रांसपीर्ट ओरपेनाइजेशन प्रा. लि., मुंबई, ऐसे वाहनों के प्रत्येक बार आवागमन के संबंध में राज्य सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा इस संबंध में विनिर्दिष्ट ऐसे प्राधिकारी या अधिकारी को अग्रिम सूचना देगा ।
- (xvi) पंजीकरण प्रमाण-पत्र में एक विशेष प्रविध्ि की जाए कि कहनों के मालिक के लिए यह आवश्यक होगा कि वह प्रत्येक प्रचालन के लिए संबंधित प्रधिकारी अर्थात् राज्य सरकार/संघ शासित प्रदेश सरकार/भारतीय राष्ट्रीय राजमार्ग प्रधिकरण से अनुमति प्राप्त करे ।
- 7. केन्द्रीय मीटरवान निवमावली, 1989 के नियम 47 के तहत निर्धारित शर्ते पूरी करने तथा विकी दस्तावेज (बीजक, सभी करों के भुगतान का सब्ब) प्रस्तुत करने के बाद हो महाराज्य राज्य में देलगें का पंजीकरण किया जाएगा ।

[का. सं. आर टी-11042/22/08-एम वो एल]

MINISTRY OF SHIPPING, ROAD TRANSPORT AND HIGHWAYS

(Department of Road Transport and Highways)

NOTIFICATION

New Delhi, the 1st August, 2008

S.O. 1929(E).—In exercise of the powers conferred by sub-section (3) of Section 58 and sub-section 3(a) of Section 110 of the Motor Vehicles Act, 1988, the Central Government hereby accords approval to the registration in Maharashtra of following trailers with maximum safe laden weight and dimensions as mentioned in the Schedule appended hereto:

SCHEDULE

Type of trailers.

: Independent trailers

Owned by

: M/s. Continental Transport Organization Pvt. Ltd., Mumbai.

3. Manufactured by

: M/s. Vicky Engineering, Ludhiana.

4. No. of trailers

: Two

5. Description of trailers:

Chassis No.	No. of Axles	No., Description Size of tyres	Measurements (Length × Width × Height)	Unladen Weight (in Kgs.)	Maximum Per Axle Load (in Kgs.)	Weight Gross (Kgs.)
VE/MU D/010/2008	6 Axles (2 in line)	8 tyres in one row, 7.50×20×12 PR (6×8=48 tyres)	12612 mm × 3000 mm × 1250 mm ± 250 mm	27,000	18,000	1,08,000
VE/MU D/011/2008	Four Axles (2 in line)	8 tyres in one row, 7.50×20×12 PR (4×8=32 tyres)	9512 mm×3000 mm× 1250 mm ± 250 mm	18,000	18,000	72,000

- 6. The above relaxation is subject to the conditions that :—
 - (i) The operations of the trailers shall be done only sparingly.
 - (ii) Load restrictions on various roads stipulated by the Public Works Department/Local Authorities/National Highway Authority of India will be observed and permission of such authorities will be obtained every time the vehicles are put on the roads. Each of such movement of the trailers will be approved and closely monitored by the concerned road authorities in State/Union Territory/National Highway Authority of India from safety point of view.
 - (iii) The vehicles should display all danger flags and lights, preferably the vehicle should be preceded and followed by a vehicle displaying prominently that a heavy load is passing.
 - (iv) Coupling of the trailers along side by side the width of the road shall not be permitted.
 - (v) The program of the movement of the trailers should be intimated at least ten days in advance to the Executive Engineers concerned and their clearance obtained.
 - (vi) The trailers shall be registered individually and not as a combination.
 - (vii) If so directed by the Public Works Department of a State/Union Territory/National Highway Authority of India, the loaded vehicles will not be allowed to pass over the bridges on the roads in that State/Union Territory and in such cases applicants will have to make their own arrangements to cross the rivers/drains.
- (viii) They would need to obtain permission each and every time before moving on a particular route from concerned State or Union Territory Authorities/National Highway Authority of India en route, in view of the oversized cargo. For each such movement, the timing should be prescribed by the concerned authority.
- (ix) They would adhere to the speed limits prescribed by the authorities in State/Union Territory/National Highway Authority of India.
- (x) The said vehicles should be moved without any bindrance to the normal flow of traffic.
- (xi) The maximum speed of the trailers for movement on the road shall not exceed 10 kms/hour.
- (xii) The trailers shall be painted for the entire width by yellow and black zebre strips on the front and rear sides

- duly marked for night time driving/parking suitably by red lamps at the front and rear and red flags on both the sides during day time to indicate the extreme position of the vehicles clearly. In addition the entire overhang shall be covered with a red reflector/reflective tape to facilitate clear vision of overhang at night time.
- (xiii) M/s. Continental Transport Organization Pvt. Ltd., Mumbai, would be liable to pay such amount to the Government of State/Union Territory/National Highway Authority of India or any other affected person where any damage is caused to the roads or road structures/other road users/person directly or indirectly due to the movement of the trailers.
- (xiv) M/s. Continental Transport Organization Pvt. Ltd., Mumbai, will observe such restrictions as the State/ Union Territory Government/National Highway Authority of India may by order specify in this behalf.
- (xv) M/s. Continental Transport Organization Pvt. Ltd., Mumbai, will give advance intimation to such authority or officer specified in this behalf by the State Government/National Highway Authority of India regarding each movement of such vehicles.
- (xvi) A specific entry in Registration Certificate is to be made that the trailers owner in case of each and every movement will be required to take the permission of concerned Authority i.e. State Government/Union Territory Govt./National Highway Authority of India.
- 7. The trailers shall be registered in the State of Maharashtra only subject to fulfillment of conditions laid down under Rule 47 of the Central Motor Vehicles Rules, 1989 and production of sale documents (invoice, proof of payment of all taxes).

[F.No. RT-11042/22/2008-MVL] SAROJ KUMAR DASH, Jt. Secy.